

Fig. 1

FIG. 2

	Attributes	
Server Characteristics	Host Name	www.fujitsu.co.jp
Channel Characteristics	Channel Name	#CH1
	Topic	Patents
	Time of Latest Message	5:10
	Nickname	User A User B User C User D
	Real Names	Shiro Fujitsu Taro Fujitsu Jiro Fujitsu Saburo Fujitu
	Channel Name	#CH 2
	Topic	Fujitsu

Fig. 2

Classification	Nickname	Real Name
Known Persons	user B	Taro Fujitsu
	user C	Jiro Fujitsu
Persons to Ignore	user E	Saburo Fujitsu
Superiors ⋮	user D	Hanako Fujitsu
	⋮	⋮

Fig. 3

Channel Name	Attribute
#CH1	read / write
#CH2	read only
#CH3	read only

Fig. 4

Condition ID	Condition	Processing
1	(Unknown People) ≥ 5	Confirmation
2	(Number of Superiors) ≥ 1	Confirmation
3	Read Only Channel	Confirmation, Change
4	(Elapsed Time) ≥ 15 minutes	Confirmation
5	(Japanese Messages) $< 50\%$	Add Translation
6	Includes Likely Keyword	Keyword Conversion
7	(Inputted Lines) ≥ 30	Create Web Page, Convert
8	(Connection with External Server) & (Message Containing Internal URL)	Confirmation
9	(Degree of Relevance) ≤ 0.1	Confirmation
10	Includes Selected Portion	Display Relevant Portion

Fig. 5

Message Confirmation

There are five or more unknown people participating.
Do you really want to make the following message?

I'm sleepy.

OK

Cancel

Fig. 6

Channel Name	Likely Keyword
CH1	user-B, user-C, user-D, Taro Fujitsu, Jiro Fujitsu, Saburo Fujitsu
CH2	user-B, user-D, Taro Fujitsu, Saburo Fujitsu
⋮	⋮

Fig. 7




Fig. 8




Fig. 9




Fig. 10


[illegible]

Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15